

AtgAppDar

An ATG dar module

Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Property Values.....	2
4 Commands.....	2
4.1 install.....	2
4.2 extract.....	3

1. Overview

[Open in Workbench](#)

AtgAppDar: *An ATG dar module*

2. Design

Super Type

[AtgAppModule](#)

Role	Abstract. (Objects cannot be created.)
Instance Names	Unique
Notification	false
Template Directory	
Data View	Children, proximity: 1
Logger Name	AtgAppDar

3. Constraints

3.1. Allowed Property Values

Property	Allowed Values	Default	Enforced
package-arch	<ul style="list-style-type: none"> noarch 		true
package-filetype	<ul style="list-style-type: none"> jar 		true

4. Commands

Note:

Commandline options displayed in square brackets "[]" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.

4.1. install

runs the package installation process

Usage

```
install [-environment <>] [-filename <>] [-installroot <>]
[-url <>]
```

4.1.1. Options

Option	Description
environment	<i>environment name</i>
filename	<i>the filename</i>
installroot	<i>the install root</i>
url	<i>the repo url</i>

4.2. extract

extracts the package

Usage

```
extract [-base <>] [-dynamo_root <>] [-filename <>]
[-installroot <>]
```

4.2.1. Options

Option	Description
base	<i>package base name</i>
dynamo_root	<i>the dynamo install dir</i>
filename	<i>the file name</i>
installroot	<i>the installation root</i>