

AtgEar

ATG Java enterprise application archive package

Table of contents

1 Overview.....	2
2 Design.....	2
3 Constraints.....	2
3.1 Allowed Parent Dependencies.....	2
3.2 Allowed Property Values.....	2
4 Commands.....	2
4.1 finish.....	3
4.2 get.....	3

1. Overview

[Open in Workbench](#)

AtgEar: ATG Java enterprise application archive package

2. Design

Super Type Package

Role	Concrete. (Objects can be created.)
Instance Names	Unique
Notification	false
Template Directory	
Data View	Children, proximity: 1
Logger Name	

3. Constraints

3.1. Allowed Parent Dependencies

- Deployment

3.2. Allowed Property Values

Property	Allowed Values	Default	Enforced
package-filetype	• ear	• ear	true
package-repo-url	• <code>\${framework.pkg}</code>	• <code>\${framework.pkg}</code>	false
package-vendor	• acme	• acme	false

4. Commands

Note:

Commandline options displayed in square brackets "[]" are optional. If an option expects arguments, then angle brackets are shown after the option "<>". Any default value is shown within the brackets.

4.1. finish

finishes the package installation

Usage

```
finish [-filename <>] [-filtersfile <>] [-installroot <>]
```

4.1.1. Options

Option	Description
filename	<i>path to package file</i>
filtersfile	<i>property file</i>
installroot	<i>installation root dir</i>

4.2. get

gets the package

Usage

```
get [-base <>] [-filename <${entity.package-base}>]
[-installroot <>] [-url <>]
```

4.2.1. Options

Option	Description
base	<i>the base file name</i>
filename	<i>the filename</i>
installroot	<i>the install root</i>
url	<i>the repo url</i>